

A photograph of a woman and a young boy in a bathroom. The woman is laughing joyfully as the boy pours water from a yellow pitcher over his head. The scene is set in a modern bathroom with a window in the background showing a city view. A white vase with flowers sits on a ledge near the window. The image is overlaid with a blue diagonal band containing text.

SANITARY SERIES

by



Running for excellence

BATHTUBS & SPA
SHOWER TRAYS
PANELS AND WASH BASINS

ACRYLAC TX 700 P. 1

ACRYLAC PX 500 P. 2

ACRYLAC ETM P. 3

MP STIR P. 4

ACRYLAC TX 700



PRODUCT

A **smooth, glossy**, co-extruded acrylic capped ABS created for the specific requirements of the sanitary industry. **ESCR rated**, EN13559 approved easily workable, light weight and durable, it is a high quality multi-layer alternative to cast acrylic.

This product features a transparent thermoformable protective PE film, comes in matching colour and in cut to size blanks and thickness. **The easy forming version** is recommended for complex bathtub shapes.

THICKNESS

- 2 mm to 8 mm or 0,079" up to 0,315"

TYPICAL DIMENSION

- Width up to 2400 mm or 94,5"
- House colour MOQ 3 tonne
- Matching colour MOQ 5 tonne

PRODUCT CHARACTERISTIC

- High gloss with exceptional surface finish
- Enhanced impact resistance
- UV protected for extended lifetime
- ESCR rated, EN13559 approved
- Warm and smooth feel
- Easy shaping version available
- Corona treated on-demand
- Tailor made dimension and colour

RECOMMENDED APPLICATION

- Bathtubs
- Outdoor SPA
- Elaborate bathtub shapes

ACRYLAC PX 500



PRODUCT

A competitive solution to suit **bathtub**, **shower tray** and **panel** makers alike. With a **glossy co-extruded layer** of acrylic on a medium impact ABS, this product combines very good surface quality with rigidity. Widely appreciated by the industry, this product is MP3's bestseller.

Providing a notable advantage thanks to its **high-quality** and **competitive pricing**, this product offers long lasting stable mechanical characteristics, **UV stability** and good stress cracking resistance.

It is finished with a transparent thermoformable protective PE film. Colour matching is available.

THICKNESS

- 2 mm to 8 mm or 0,079" up to 0,315"

TYPICAL DIMENSION

- Width up to 2400 mm or 94,5"
- House colour MOQ 1 tonne
- Matching colour MOQ 3 tonne

PRODUCT CHARACTERISTIC

- Glossy, high specs surface finish
- Smooth and warm feel
- Anti UV, outdoor approved
- Excellent rigidity
- Easy forming version available
- Acrylic bottom layer version available
- Corona treated on-demand
- Colour matching available

- Bathtubs
- Shower trays

- Shower boxes
- Panels, wash basin

ACRYLAC ETM



PRODUCT

A **supermatt**, impact modified acrylic layer, co-extruded on ABS gives this product a premium look. The **satin finish** adds a warm soft touch feeling.

The special acrylic **high stress resistance** make this product particularly adapted to make deep bathtubs, and **enhanced UV stability** allows for longer lifecycle of the finished product.

Colour matching is available as is cut to size dimensions. It comes with a thermoformable protective PE film.

An ideal flat sheet that gives your products a pleasant surface structure with improved chemical resistance.

THICKNESS

- 2 mm to 8 mm or 0,079" up to 0,315"

TYPICAL DIMENSION

- Width up to 1600 mm or 59"
- MOQ 5 tonne

PRODUCT CHARACTERISTIC

- Supermatt acrylic top layer
- ESCR rated
- Satin finish, soft touch
- Protected with thermoformable PE film
- UV protected
- Cut to size sheet
- Corona treated on-demand

RECOMMENDED APPLICATION

- Bathtubs
- Shower trays
- Wash basin
- Panels

MP STIR



PRODUCT

A classic in the sanitary industry, our extruded polystyrene is **available in glossy or matt**. These **HIPS** cut sheets have a proven track record of stable thermoforming characteristics and good ageing properties. It is the product of choice for lower value components.

The glossy version comes with a thermoformable PE film. A **weather resistant additive** can be applied to the top layer to improve colour stability.

This material can be produced in matching colour and with a **pinseal embossed** top structure.

THICKNESS

- 2 mm to 8 mm or 0,079" up to 0,315"

TYPICAL DIMENSION

- Width up to 1600 mm or 59"
- House colour MOQ 1 tonne
- Matching colour MOQ 3 tonne

PRODUCT CHARACTERISTIC

- High Impact polystyrene
- Weather resistant on-demand
- Smooth glossy or matt
- Pinseal embossed available
- Matching colour
- Cut to size

RECOMMENDED APPLICATION

- Panels





Registered office:

MP3 S.R.L.

Via Castelfranco, 52
40053 Valsamoggia loc. Bazzano - Italy
Fiscal Code 03499581209
VAT nr. IT 03499581209
SDI Code MZO2A0U

Production plant:

Via Muzza Spadetta, 36
40053 Valsamoggia Loc. Bazzano - Italy
Tel. 0039 051 6715811
Fax: 0039 051 6715940
E-mail: info@ilpa-Mp3.com

www.ilpa-mp3.com



MP3 USA INC.

1800 West Loop South, Suite 1740 Houston TX
77027 - USA
Tel: +39 389 6996934

Email: info@usa.ilpa-mp3.com

<https://usa.ilpa-mp3.com>