

ACRYLAC TX 700	р. 1
ACRYLAC PX 500	Р. 2
ACRYLAC ETM	Р. 3
ACRYLAC FM30	Р. 4
MDCTID	



A **smooth, glossy**, co-extruded acrylic capped ABS created for the specific requirements of the sanitary industry. **ESCR rated**, EN13559 approved easily workable, light weight and durable, it is a high quality multi-layer alternative to cast acrylic.

This product features a transparent thermoformable protective PE film, comes in matching colour and in cut to size blanks and thickness. **The easy forming version** is recommended for complex bathtub shapes.

THICKNESS

• 2 mm to 8 mm or 0,079" up to 0,315"

TYPICAL DIMENSION

- Width up to 2400 mm or 94,5"
- House colour MOQ 3 tonne
- Matching colour MOQ 5 tonne

PRODUCT CHARACTERISTIC

- High gloss with exceptional surface finish
- Enhanced impact resistance
- UV protected for extended lifetime
- ESCR rated, EN13559 approved

- Warm and smooth feel
- Easy shaping version available
- Corona treated on-demand
- Tailor made dimension and colour

RECOMMENDED APPLICATION

- Bathtubs
- Outdoor SPA

• Elaborate bathtub shapes

1



A competitive solution to suit **bathtub**, **shower tray** and **panel** makers alike. With a **glossy co-extruded layer** of acrylic on a medium impact ABS, this product combines very good surface quality with rigidity. Widely appreciated by the industry, this product is MP3's bestseller.

Providing a notable advantage thanks to its **high-quality** and **competitive pricing**, this product offers long lasting stable mechanical characteristics, **UV stability** and good stress cracking resistance.

It is finished with a transparent thermoformable protective PE film. Colour matching is available.

THICKNESS

• 2 mm to 8 mm or 0,079" up to 0,315"

TYPICAL DIMENSION

- Width up to 2400 mm or 94,5"
- House colour MOQ 1 tonne
- Matching colour MOQ 3 tonne

PRODUCT CHARACTERISTIC

- Glossy, high specs surface finish
- Smooth and warm feel
- Anti UV, outdoor approved
- Excellent rigidity

- Easy forming version available
- Acrylic bottom layer version available
- Corona treated on-demand
- Colour matching available

- Bathtubs
- Shower trays

- Shower boxes
- Panels, wash basin



A **supermatt**, impact modified acrylic layer, co-extruded on ABS gives this product a premium look. The **satin finish** adds a warm soft touch feeling.

The special acrylic **high stress resistance** make this product particularly adapted to make deep bathtubs, and **enhanced UV stability** allows for longer lifecycle of the finished product.

Colour matching is available as is cut to size dimensions. It comes with a thermoformable protective PE film. An ideal flat sheet that gives your products a pleasant surface structure with improved chemical resistance.

THICKNESS

• 2 mm to 8 mm or 0,079" up to 0,315"

TYPICAL DIMENSION

- Width up to 1600 mm or 59"
- MOQ 5 tonne

PRODUCT CHARACTERISTIC

- Supermatt acrylic top layer
- ESCR rated
- Satin finish, soft touch
- Protected with thermoformable PE film
- UV protected
- Cut to size sheet
- Corona treated on-demand

RECOMMENDED APPLICATION

- Bathtubs
- Shower trays

- Wash basin
- Panels

ACRYLAC FM30 / TEXTURE PIETRA

PRODUCT

Our exclusive texture "Pietra" has been designed to open new horizon for thermoformed shower trays and wall panels. The texture is inspired by the mild veins of the Ligurian's slate stones of Lavagna city.

Extruded in a multi-layer configuration, it is at its best with a top layer of **FM30 matt acrylic** co-extruded on ABS base. The matt acrylic cap offers our industry leading ageing performance and a **soft, warm touch**. Available in matching colour and wide dimensions, this product is adapted for outdoor or indoor installation.

THICKNESS

• 2 mm to 8 mm or 0,079" up to 0,315"

TYPICAL DIMENSION

- Width up to 2200 mm or 86,6"
- House colour MOQ 3 tonne
- Matching colour MOQ 5 tonne

PRODUCT CHARACTERISTIC

- Slate stone
- Supermatt acrylic finish
- Corona treated on-demand

- Available in AC/ABS, plain ABS or HIPS
- Tailor made dimension and colour
- UV protected for extended lifetime

RECOMMENDED APPLICATION

Shower trays

• Wall panels



A classic in the sanitary industry, our extruded polystyrene is **available in glossy or matt**. These **HIPS** cut sheets have a proven track record of stable thermoforming characteristics and good ageing properties. It is the product of choice for lower value components.

The glossy version comes with a thermoformable PE film. A **weather resistant additive** can be applied to the top layer to improve colour stability.

This material can be produced in matching colour and with a **pinseal embossed** top structure.

THICKNESS

• 2 mm to 8 mm or 0,079" up to 0,315"

TYPICAL DIMENSION

- Width up to 1600 mm or 59"
- House colour MOQ 1 tonne
- Matching colour MOQ 3 tonne

PRODUCT CHARACTERISTIC

- High Impact polystyrene
- Weather resistant on-demand
- Smooth glossy or matt

- Pinseal embossed available
- Matching colour
- Cut to size

RECOMMENDED APPLICATION

• Panels



running for excellence

Registered office: MP3 S.R.L.

Via Castelfranco, 52 40053 Valsamoggia loc. Bazzano - Italy Fiscal Code 03499581209 VAT nr. IT 03499581209 SDI Code MZ02A0U

Production plant:

Via Muzza Spadetta, 36 40053 Valsamoggia Loc. Bazzano - Italy Tel. 0039 051 6715811 Fax: 0039 051 6715940

E-mail: info@ilpa-Mp3.com



running for excellence

MP3 USA INC.

1800 West Loop South, Suite 1740 Houston TX 77027 - USA

Tel: +39 389 6996934

Email: info@usa.ilpa-mp3.com

www.ilpa-mp3.com

https://usa.ilpa-mp3.com