



LEISURE VEHICLE SERIES

by



RV, GOLF CART, SNOW MOBILE,
TRAILER, ROOFBOX, BOAT



ACRYLAC QX 700



PRODUCT

Homologated by many OEM, our impact resistant acrylic capped on a high impact ABS, QX 700, is a perfect solution for demanding outdoor applications. Its high gloss, high specs surface finish and matching colors gives QX 700 the perfect characteristic for a first-class thermoforming piece.

It is obtained through an extrusion process of ABS layers (co-polymer of ACRYLONITRILE, BUTADIENE and STYRENE) and ACRYLIC (polymer of METHYL METHACRYLATE). This selection of materials creates a composite sheet featuring excellent mechanical strength, good rigidity and excellent physical properties. The acrylic layer gives the product, high resistance to abrasions and protection against UV rays in outdoor applications, thereby slowing down aging and changes in colour.

The sheets are extruded in matching colours

THICKNESS

- 2 mm to 8 mm or 0,079" up to 0,315"

TYPICAL DIMENSION

- Up to 2500 mm or 98.5"
- House colour MOQ 3 tonne
- Matching colour MOQ 5 tonne

PRODUCT CHARACTERISTIC

- High gloss with exceptional surface finish
- Enhanced impact resistance
- Thermoformable removable
- Protective PE film
- UV protected for extended lifetime
- Easy shaping version available
- Corona treated on demand
- Tailor made dimension and colour

RECOMMENDED APPLICATION

- RV
- ATV
- Boat
- Trailors
- Snow mobile

ACRYLAC ETM



PRODUCT

A Supermatt, impact modified acrylic layer, co-extruded on ABS gives this product a premium look. The satin finish adds a warm soft touch feeling. The enhanced UV stability of this product makes it particularly adapted for RV external body parts. Colour matching is available as is cut to size dimensions. It comes with a thermoformable protective PE film.

THICKNESS

- 2 mm to 8 mm or 0,079" up to 0,315"

TYPICAL DIMENSION

- Width up to 2200 mm or 86,6"
- Matching colour MOQ 5 tonne

PRODUCT CHARACTERISTIC

- Supermatt acrylic top layer
- Enhanced impact resistance
- UV protected for extended lifetime
- Satin finish, soft touch
- Easy shaping version available
- Corona treated on demand
- Tailor made dimension and colour

RECOMMENDED APPLICATION

- RV
- Trailors
- Golf cart

ACRYLAC PX 500



PRODUCT

With a glossy co-extruded layer of acrylic on a medium impact ABS, this product combines excellent surface quality with rigidity. Widely appreciated by all industries, this product is MP3's bestseller.

Providing a notable advantage thanks to its high-quality and competitive pricing, this product offers long lasting stable mechanical characteristics, UV stability and good stress cracking resistance.

It is finished with a transparent thermoformable protective PE film. Colour matching is available.

THICKNESS

- 2 mm to 8 mm or 0,079" up to 0,315"

TYPICAL DIMENSION

- Up to 2500 mm or 98.5"
- House colour MOQ 1 tonne
- Matching colour MOQ 3 tonne

PRODUCT CHARACTERISTIC

- Glossy, high spec surface finish
- Smooth and warm feel
- Anti UV, outdoor approved
- Excellent rigidity
- Easy forming version available
- Acrylic bottom layer version available
- Corona teated on demand
- Colour matching available

RECOMMENDED APPLICATION

- Lawn tractors
- Golf cart
- ATV
- Mobile home
- Trailors
- Snowmobile

LAC 500



PRODUCT

These medium impact ABS sheets, LAC 500, are obtained through an extrusion process of several layers of ABS. High rigidity combines to standard mechanical strength and good physical properties make for a one product fits it all. A widely appreciated technical solution for thermoformed pieces of any kind, this material is MP3's most popular ABS. Available in a vast range of colours, glossy or matt, smooth or embossed. A Weather resistant treatment can be added into the product as can a top ASA layer to slow down aging for a longer lifecycle. The bottom layer of the sheet can be corona treated to favour glue or resin adhesion.

This product is extensively used in all the main industries, including automotive, toys, refrigerators, industrial packaging, leisure and many more.

THICKNESS

- 2 mm to 8 mm or 0,079" up to 0,315"

TYPICAL DIMENSION

- Up to 2400 mm or 94.5"
- House colour MOQ 3 tonne
- Matching colour MOQ 5 tonne

PRODUCT CHARACTERISTIC

- Natural finish
- Medium impact, high rigidity
- UV protected on request
- Cut to sheet size
- Corona treated on demand
- Haircell, leather grain, sand and prismatic embossed available

RECOMMENDED APPLICATION

- RV
- Trailer internal parts
- Mobile home
- Golf cart



PRODUCT

A classic material for internal parts, our extruded polystyrene is available in glossy or matt. These HIPS cut sheets have a proven track record of stable thermoforming characteristics and good ageing properties. It is the product of choice for lower value components. The glossy version comes with a thermoformable PE film. A weather resistant additive can be applied to the top layer to improve colour stability. This material can be produced in matching colour and with a pinseal embossed top structure

THICKNESS

- 2 mm to 8 mm or 0,079" up to 0,315"

TYPICAL DIMENSION

- Width up to 2200 mm or 86,6"
- House colour MOQ 1 tonne
- Matching colour MOQ 3 tonne

PRODUCT CHARACTERISTIC

- High impact polystyrene
- Weather resistant on demand
- Smooth glossy or matt pinseal embossed available
- Matching colour
- Cut to size

RECOMMENDED APPLICATION

- RV
- Mobile home
- Trailer internal parts

EMBOSSING MILANO



PRODUCT

Embossing Milano (GX) features a refined and captivating pattern, that evokes the essence of **sand blasted concrete walls**. This embossing harmoniously integrates with **Milan's** urban landscape, where striking skyscrapers and magnificent buildings coexist with historical monuments, collectively shaping the city's iconic skyline. This **timeless design** is tailored for **automotive applications** and technical application, marks an **exciting addition** to **MP3's** diverse pattern portfolio.

THICKNESS

- 2 mm to 8 mm or 0,079" up to 0,315"

TYPICAL DIMENSION

- Width 250 mm to 2200 mm or 9,842" up to 86,614"
- Height 500 mm to 3250 mm or 19,685" up to 127,952"
- Black colour MOQ 3 tonne
- Matching colour MOQ 5 tonne

PRODUCT CHARACTERISTIC

- Available on PS, ABS & PMMA/ABS
- Tailor made dimension and colour
- Available in glossy or matt finish

RECOMMENDED APPLICATION

- Automotive
- Utility vehicle

WE EXTRUDE, YOU THERMOFORM



MP3 USA INC.

1800 West Loop South, Suite 1740 Houston TX
77027 - USA
Tel: +39 389 6996934

Email: info@usa.ilpa-mp3.com



Registered office:

MP3 S.R.L.

Via Castelfranco, 52
40053 Valsamoggia loc. Bazzano - Italy
Fiscal Code 03499581209
VAT nr. IT 03499581209
SDI Code MZ02A0U

Production plant:

Via Muzza Spadetta, 36
40053 Valsamoggia Loc. Bazzano - Italy
Tel. 0039 051 6715811

E-mail: info@ilpa-Mp3.com

www.mp3extrusion.com